Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
B. Mach
K. Matsubara

Associate Editors

C. R. Cantor
V. Luzzati
J. H. Miller
M. F. Moody

Volume 183
5 May to 20 June 1985

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1985, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 183

Number 1, 5 May 1985

Lathe, R., Synthetic Oligonucleotide Probes Deduced from Amino Acid Sequence Data. Theoretical and Practical Considerations 1

Han, S., Udvardy, A. and Schedl, P., Novobiocin Blocks the *Drosophila* Heat Shock Response 13

Pure, G. A., Robinson, G. W., Naumovski, L. and Friedberg, E. C., Partial Suppression of an Ochre Mutation in *Saccharomyces cerevisiae* by Multicopy Plasmids Containing a Normal Yeast $tRNA^{Gln}$ Gene 31

Chakerian, A. E., Pfahl, M., Olson, J. S. and Matthews, K. S., A Mutant Lactose Repressor with Altered Inducer and Operator Binding Parameters 43

Theologis, A., Huynh, T. V. and Davis, R. W., Rapid Induction of Specific mRNAs by Auxin in Pea Epicotyl Tissue 53

Wieben, E. D., Nenninger, J. M. and Pederson, T., Ribonucleoprotein Organization of Eukaryotic RNA. XXXII. U2 Small Nuclear RNA Precursors and their Accurate 3′ Processing *in Vitro* as Ribonucleoprotein Particles 69

Carazo, J. M., Santisteban, A. and Carrascosa, J. L., Three-dimensional Reconstruction of Bacteriophage ϕ29 Neck Particles at 2·2 nm Resolution 79

Delbaere, L. T. J. and Brayer, G. D., The 1·8 Å Structure of the Complex between Chymostatin and *Streptomyces griseus* Protease A. A Model for Serine Protease Catalytic Tetrahedral Intermediates 89

McDonald, M. J., Turci, S. M., Bleichman, M. and Stinson, R. A., Functional and Subunit Assembly Properties of Hemoglobin Alberta ($\alpha_2\beta_2^{101\,Glu\rightarrow Gly}$) 105

Letter to the Editor

Bolognesi, M., Coda, A., Gatti, G., Ascenzi, P. and Brunori, M., Crystal Structure of Ferric *Aplysia limacina* Myoglobin at 2·0 Å Resolution 113

Number 2, 20 May 1985

Flamm, E. L. and Weisberg, R. A., Primary Structure of the *hip* Gene of *Escherichia coli* and of its Product, the β Subunit of Integration Host Factor 117

Kikuchi, A., Flamm, E. and Weisberg, R. A., An *Escherichia coli* Mutant Unable to Support Site-specific Recombination of Bacteriophage λ 129

Chabanas, A., Khoury, E., Goeltz, P., Froussard, P., Gjerset, R., Dod, B., Eisen, H. and Lawrence, J. J., Effects of Butyric Acid on Cell Cycle Regulation and Induction of Histone H1° in Mouse Cells and Tissue Culture. Inducibility of H1° in the Late S–G2 Phase of the Cell Cycle 141

Wilson, E. T., Larson, D., Young, L. S. and Sprague, K. U., A Large Region Controls tRNA Gene Transcription 153

Carpousis, A. J. and Gralla, J. D., Interaction of RNA Polymerase with *lac*UV5 Promoter DNA during mRNA Initiation and Elongation. Footprinting, Methylation, and Rifampicin-sensitivity Changes Accompanying Transcription Initiation . . 165

Graves, R. A., Wellman, S. E., Chiu, I.-M. and Marzluff, W. F., Differential Expression of Two Clusters of Mouse Histone Genes 179

Austin, S. J., Mural, R. J., Chattoraj, D. K. and Abeles, A. L., *Trans*- and *Cis*-acting Elements for the Replication of P1 Miniplasmids 195

Hardwicke, P. M. D. and Szent-Györgyi, A. G., Proximity of Regulatory Light Chains in Scallop Myosin 203

La Volpe, A., Simeone, A., D'Esposito, M., Scotto, L., Fidanza, V., de Falco, A. and Boncinelli, E., Molecular Analysis of the Heterogeneity Region of the Human Ribosomal Spacer 213

Frackman, S., Siegele, D. A. and Feiss, M., The Terminase of Bacteriophage λ. Functional Domains for *cosB* Binding and Multimer Assembly 225

Feiss, M., Frackman, S. and Sippy, J., Essential Interaction Between Lamboid Phage 21 Terminase and the *Escherichia coli* Integrative Host Factor 239

Appendix: Miller, G. and Feiss, M., Sequence of the Left End of Phage 21 DNA . 246

Gross, D. S., Huang, S.-Y. and Garrard, W. T., Chromatin Structure of the Potential *Z*-Forming Sequence $(dT\text{-}dG)_n \cdot (dC\text{-}dA)_n$. Evidence for an "Alternating-*B*" Conformation 257

Lesk, A. M., Janin, J., Wodak, S. and Chothia, C., Haemoglobin: The Surface Buried Between the $\alpha_1\beta_1$ and $\alpha_2\beta_2$ Dimers in the Deoxy and Oxy Structures 267

Shimizu, T., Reinach, F. C., Masaki, T. and Fischman, D. A., Analysis of the Metal-induced Conformational Change in Myosin with a Monoclonal Antibody to Light Chain Two 271

Letters to the Editor

Vibert, P., Cohen, C., Hardwicke, P. M. D. and Szent-Györgyi, A. G., Electron Microscopy of Cross-linked Scallop Myosin 283

Yamamoto, K., Tokunaga, M., Sutoh, K., Wakabayashi, T. and Sekine, T., Location of the SH Group of the Alkali Light Chain on the Myosin Head as Revealed by Electron Microscopy 287

Number 3, 5 June 1985

Pech, M., Smola, H., H.-D., Straubinger, B., Gerl, R. and Zachau, H. G., A Large Section of the Gene Locus Encoding Human Immunoglobulin Variable Regions of the Kappa Type is Duplicated 291

Kominami, R., Sudo, K., Yoshikura, H., Suzuki, H., Moriwaki, K., Hilgers, J. and Muramatsu, M., A Polymorphic Repetitive-sequence PR1 Family. Evidence for Meiotic Instability. 301

Romans, P. and Firtel, R. A., Organization of the *Dictyostelium discoideum* Actin Multigene Family. Flanking Sequences Show Subfamily Homologies and Unusual Dyad Symmetries 311

Kaplan, J. B., Merkel, W. K. and Nichols, B. P., Evolution of Glutamine Amidotransferase Genes. Nucleotide Sequences of the *pabA* Genes from *Salmonella typhimurium*, *Klebsiella aerogenes* and *Serratia marcescens* 327

Bichara, M. and Fuchs, R. P. P., DNA Binding and Mutation Spectra of the Carcinogen *N*-2-Aminofluorene in *Escherichia coli*. A Correlation between the Conformation of the Premutagenic Lesion and the Mutation Specificity 341

Ross, P. D., Black, L. W., Bisher, M. E. and Steven, A. C., Assembly-dependent Conformational Changes in a Viral Capsid Protein. Calorimetric Comparison of Successive Conformational States of the gp23 Surface Lattice of Bacteriophage T4 . 353

Ip, W., Hartzer, M. K., Pang, Y.-Y. S. and Robson, R. M., Assembly of Vimentin *in Vitro* and its Implications Concerning the Structure of Intermediate Filaments . . 365

Hanson, D. C. and Schumaker, V. N., Immunoglobulin G Antibody Bound to the C1q Subcomponent of Human Complement Exhibits Segmental Flexibility . . . 377

McCall, M., Brown, T. and Kennard, O., The Crystal Structure of d(G-G-G-G-C-C-C-C). A Model for Poly(dG)·poly(dC) 385

Guizard, C., Chanzy, H. and Sarko, A., The Molecular and Crystal Structure of Dextrans: A Combined Electron and X-ray Diffraction Study. II. A Low Temperature, Hydrated Polymorph 397

Williams, G., Moore, G. R., Porteus, R., Robinson, M. N., Soffe, N. and Williams, R. J. P., Solution Structure of Mitochondrial Cytochrome *c*. I. ^{1}H Nuclear Magnetic Resonance of Ferricytochrome *c* 409

Moore, G. R., Robinson, M. N., Williams, G. and Williams, R. J. P., Solution Structure of Mitochondrial Cytochrome *c*. II. ^{1}H Nuclear Magnetic Resonance of Ferrocytochrome *c* 429

Williams, G., Clayden, N. J., Moore, G. R. and Williams, R. J. P., Comparison of the Solution and Crystal Structures of Mitochondrial Cytochrome *c*. Analysis of Paramagnetic Shifts in the Nuclear Magnetic Resonance Spectrum of Ferricytochrome *c* 447

Åqvist, J., van Gunsteren, W. F., Leijonmarck, M. and Tapia, O., A Molecular Dynamics Study of the C-terminal Fragment of the L7/L12 Ribosomal Protein. Secondary Structure Motion in a 150 Picosecond Trajectory 461

Mornet, D., Pantel, P., Audemard, E., Derancourt, J. and Kassab, R., Molecular Movements Promoted by Metal Nucleotides in the Heavy-chain Regions of Myosin Heads from Skeletal Muscle 479

Perutz, M. F., Gronenborn, A. M., Clore, G. M., Fogg, J. H. and Shih, D. T.-b., The pK_a Values of Two Histidine Residues in Human Haemoglobin, the Bohr Effect, and the Dipole Moments of α-Helices 491

Letters to the Editor

Kreis, M., Forde, B. G., Rahman, S., Miflin, B. J. and Shewry, P. R., Molecular Evolution of the Seed Storage Proteins of Barley, Rye and Wheat. 499

Kline, A. D. and Wüthrich, K., Secondary Structure of the α-Amylase Polypeptide Inhibitor Tendamistat from *Streptomyces tendae* Determined in Solution by ^{1}H Nuclear Magnetic Resonance 503

Stewart, M., Beveridge, T. J. and Sprott, G. D., Crystalline Order to High Resolution in the Sheath of *Methanospirillum hungatei*: A Cross-beta Structure 509

Shamala, N., Lim, L. W., Mathews, F. S., McIntire, W., Singer, T. P. and Hopper, D. J., Preliminary X-ray Study of *p*-Cresol Methylhydroxylase (Flavocytochrome *c*) from *Pseudomonas putida* N.C.I.B. 9869 517

Number 4, 20 June 1985

Franz, G., Tautz, D. and Dover, G. A., Conservation of Major Nuclease S_1-sensitive Sites in the Non-conserved Spacer Region of Ribosomal DNA in *Drosophila* Species . 519

Lynn, S. P., Bauer, C. E., Chapman, K. and Gardner, J. F., Identification and Characterization of Mutants Affecting Transcription Termination at the Threonine Operon Attenuator 529

Dibb, N. J., Brown, D. M., Karn, J., Moerman, D. G., Bolten, S. L. and Waterston, R. H., Sequence Analysis of Mutations that Affect the Synthesis, Assembly and Enzymatic Activity of the *unc-54* Myosin Heavy Chain of *Caenorhabditis elegans* 543

Kopka, M. L., Yoon, C., Goodsell, D., Pjura, P. and Dickerson, R. E., Binding of an Antitumor Drug to DNA. Netropsin and C-G-C-G-A-A-T-T-^{Br}C-G-C-G 553

Rosen, L. S. and Magdoff-Fairchild, B., X-ray Diffraction Studies of 14-Filament Models of Deoxygenated Sickle Cell Hemoglobin Fibers. Models based on Electron Micrograph Reconstructions 566

Inagaki, F., Hider, R. C., Hodges, S. J. and Drake, A. F., Molecular Conformation of α-Bungarotoxin as Studied by Nuclear Magnetic Resonance and Circular Dichroism . 575

Ferrone, F. A., Hofrichter, J. and Eaton, W. A., Kinetics of Sickle Hemoglobin Polymerization. I. Studies Using Temperature-jump and Laser Photolysis Techniques 591

Ferrone, F. A., Hofrichter, J. and Eaton, W. A., Kinetics of Sickle Hemoglobin Polymerization. II. A Double Nucleation Mechanism 611

Appendix 1: Calculation of Activity Coefficients 625

Appendix 2: Linearization of the Rate Equations 626

Appendix 3: Calculation of Equilibrium Constants for Nucleus Formation 627

Letter to the Editor

Krämmer, G., Singhofer-Wowra, M., Seedorf, K., Little, M. and Schedl, T., A Plasmodial α-Tubulin cDNA from *Physarum polycephalum*. Nucleotide Sequence and Comparative Analysis 633

Announcement 639

Index to Volume 183

Abeles, A. J. (see also Austin, S. J.), 195
Actin multigene family organization for *Dictyostelium discoideum*. Flanking sequences show subfamily homologies and unusual dyad symmetries, 311
Alkali light chain, location of the SH group on the myosin head as revealed by electron microscopy, 287
$\alpha_1\beta_1$ to $\alpha_2\beta_2$ interface in haemoglobin, 267
"Alternating-*B*" conformation; chromatin structure of the potential *Z*-forming sequence $(dT\text{-}dG)_n \cdot (dC\text{-}dA)_n$, 251
Amino acid sequence data used to deduce synthetic oligonucleotide probes; theoretical and practical considerations, 1
α-Amylase polypeptide inhibitor Tendamistat from *Streptomyces tendae*, secondary structure determined in solution by ^1H n.m.r., 503
Antibody, immunoglobulin G, bound to the C1q subcomponent of human complement exhibits segmental flexibility, 377
Antibody, monoclonal, to light chain two, and analysis of the metal-induced conformational change in myosin, 271
Antitumor drug, binding to DNA. Netropsin and C-G-C-G-A-A-T-T-^{Br}C-G-C-G, 553
Aplysia limacina ferric myoglobin, crystal structure at 2·0 Å resolution, 113
Åqvist, J., van Gunsteren, W. F., Leijonmarck, M. & Tapia, O., A molecular dynamics study of the C-terminal fragment of the L7/L12 ribosomal protein. Secondary structure motion in a 150 picosecond trajectory, 461
Ascenzi, P. (see also Bolognesi, M.), 113
Assembly, multimer, functional domains; the terminase of bacteriophage λ, 225
Assembly of vimentin *in vitro* and its implications concerning the structure of intermediate filaments, 365
Assembly-dependent conformational changes in a viral capsid protein. Calorimetric comparison of successive conformational states of the gp23 surface lattice of bacteriophage T4, 353
Audemard, E. (see also Mornet, D.), 479
Austin, S. J., Mural, R. J., Chattoraj, D. K. & Abeles, A. L., *Trans-* and *cis*-acting elements for the replication of P1 miniplasmids, 195
Auxin and the rapid induction of specific mRNAs in pea epicotyl tissue, 53

Bacteriophage λ, an *Escherichia coli* mutant unable to support site-specific recombination, 129
Bacteriophage λ terminase, Functional domains for *cosB* binding and multimer assembly, 225
Bacteriophage φ29 neck particles, three-dimensional reconstruction at 2·2 nm resolution, 79
Bacteriophage T4, calorimetric comparison of successive conformational states of the gp23 surface lattice, 353
Barley, molecular evolution of seed storage proteins, 499
Bauer, C. C. (see also Lynn, S. P., 529
β subunit of integration host factor, primary structure, 117
Beveridge, T. J. (see also Stewart, M.), 509
Bichara, M. & Fuchs, R. P. P., DNA binding and mutation spectra of the carcinogen *N*-2-aminofluorene in *Escherichia coli*. A correlation between the conformation of the premutagenic lesion and the mutation specificity, 341
Binding of an antitumor drug to DNA. Netropsin and C-G-C-G-A-A-T-T-^{Br}C-G-C-G, 553
Bisher, M. C. (see also Ross, P. D.), 353
Black, L. W. (see also Ross, P. D.), 353
Bleichman, M. (see also McDonald, M. J.), 105
Bohr effect, the dipole moments of α-helices, and the pK_a values of two histidine residues in human haemoglobin, 491
Bolognesi, M., Coda, A., Gatti, G., Ascenzi, P. & Brunori, M., Crystal structure of ferric *Aplysia limacina* myoglobin at 2·0 Å resolution, 113
Bolten, S. L. (see also Dibb, N. J.), 543
Boncinelli, E. (see also La Volpe, A.), 213
Brayer, G. D. (see also Delbaere, L. T. J.), 89
Brown, D. M. (see also Dibb, N. J.), 543
Brown, T. (see also Bolognesi, M.), 113
Brunori, M. (see also Bolognesi, M.), 113
α-Bungarotoxin molecular conformation as studied by n.m.r. and circular dichroism, 575
Butyric acid, effects on cell cycle regulation and induction of histone H1° in mouse cells and tissue culture, 141

Caenorhabditis elegans, sequence analysis of mutations that affect the synthesis, assembly and enzymatic activity of the *unc-54* myosin heavy chain, 543
Calorimetric comparison of successive conformational states of the gp23 surface lattice of bacteriophage T4, 353
Capsid protein, viral, assembly-dependent conformational changes; calorimetric comparison of successive conformational states of the gp23 surface lattice of bacteriophage T4, 353
Carazo, J. M., Santisteban, A. & Carrascosa, J. L., Three-dimensional reconstruction of bacteriophage φ29 neck particles at 2·2 nm resolution, 79
Carcinogen *N*-2-aminofluorene, DNA binding and mutation spectra in *Escherichia coli*. A correlation between the conformation of the premutagenic lesion and the mutation specificity, 341
Carpousis, A. J. & Gralla, J. D., Interaction of RNA polymerase with *lac*UV5 promoter DNA during mRNA initiation and elongation. Footprinting, methylation, and rifampicin-sensitivity changes accompanying transcription initiation, 165
Carrascosa, J. L. (see also Carazo, J. M.), 79
Cell cycle regulation and induction of histone H1° in mouse cells and tissue culture, effects of butyric acid, 141
C-G-C-G-A-A-T-T-^{Br}C-G-C-G, and binding of antitumor drug netropsin, 553
Chabanas, A., Khoury, E., Goeltz, P., Froussard, P., Gjerset, R., Dod, B., Eisen, H. & Lawrence, J. J., Effects of butyric acid on cell cycle regulation and induction of histone H1° in mouse cells and tissue culture. Inducibility of H1° in the late S–G2 phase of the cell cycle, 141
Chakerian, A. E., Pfahl, M., Olson, J. S. & Matthews, K. S., A mutant lactose repressor with altered inducer and operator binding parameters, 43
Chanzy, H. (see also Guizard, C.), 397
Chapman, K. (see also Lynn, S. P.), 529
Chattoraj, D. K. (see also Austin, S. J.), 195
Chiu, I.-M. (see also Graves, R. A.), 179
Chothia, C. (see also Lesk, A. M.), 267
Chromatin structure of the potential *Z*-forming sequence $(dT\text{-}dG)_n \cdot (dC\text{-}dA)_n$. Evidence for an "alternating-*B*" conformation, 251
Chymostatin complex with *Streptomyces griseus* protease A, the 1·8 Å structure; a model for serine protease catalytic tetrahedral intermediates, 89
Circular dichroism and n.m.r. in study of molecular conformation of α-bungarotoxin, 575
Cis- and *trans*-acting elements for the replication of P1 miniplasmids, 195
Clayden, N. J. (see also Williams, G.), 447
Clore, G. M. (see also Perutz, M. F.), 491
Coda, A. (see also Bolognesi, M.), 113
Cohen, C. (see also Vibert, P.), 283
C1q subcomponent of human complement, bound immunoglobulin G antibody exhibits segmental flexibility, 377
Conformation, molecular, of α-bungarotoxin as studied by n.m.r. and circular dichroism, 575
Conformational change, metal-induced, in myosin, analysis with a monoclonal antibody to light chain two, 271

Conformational changes, assembly-dependent, in a viral capsid protein. Calorimetric comparisons of successive conformational states of the gp23 surface lattice of bacteriophage T4, 353
cosB binding and multimer assembly, functional domains: the terminase of bacteriophage λ, 225
p-Cresol methylhydroxylase (flavocytochrome *c*) from *Pseudomonas putida* N.C.I.B. 9869, preliminary X-ray study, 517
Crystal and molecular structure of dextrans: a combined electron and X-ray diffraction study: a low temperature, hydrated polymorph, 397
Crystal and solution structures compared for mitochondrial cytochrome *c*. Analysis of paramagnetic shifts in the n.m.r. spectrum of ferricytochrome *c*, 447
Crystal structure of d(G-G-G-G-C-C-C-C). A model for poly(dG)·poly(dC), 385
Crystal structure of ferric *Aplysia limacina* myoglobin at 2·0 Å resolution, 113
Crystalline order to high resolution in the sheath of *Methanospirillum hungatei*: a cross-beta structure, 509
C-terminal fragment of the L7/L12 ribosomal protein, a molecular dynamics study: secondary structure motion in a 150 picosecond trajectory, 461
Cytochrome *c*, mitochondrial, comparison of the solution and crystal structures; analysis of paramagnetic shifts in the n.m.r. spectrum of ferricytochrome *c*, 447
Cytochrome *c*, mitochondrial, solution structure; ^{1}H n.m.r. of ferricytochrome *c*, 409
Cytochrome *c*, mitochondrial, solution structure; ^{1}H n.m.r. of ferrocytochrome *c*, 429

Davis, R. W. (see also Theologis, A.), 53
de Falco, A. (see also La Volpe, A.), 213
Delbaere, L. T. J. & Brayer, G. D., The 1·8 Å structure of the complex between chymostatin and *Streptomyces griseus* protease A. A model for serine protease catalytic tetrahedral intermediates, 89
DNA, binding of an antitumor drug: netropsin and C-G-C-G-A-A-T-T-^{Br}C-G-C-G, 553
DNA binding and mutation spectra of the carcinogen *N*-2-aminofluorene in *Escherichia coli*. A correlation between the conformation of the premutagenic lesion and the mutation specificity, 341
DNA, *lac*UV5 promoter, interaction with RNA polymerase during mRNA initiation and elongation. Footprinting, methylation, and rifampicin-sensitivity changes accompanying transcription initiation, 165.
DNA, phage 21, sequence of the left end, 246
DNA, ribosomal, in *Drosophila* species, conservation of major nuclease S_1-sensitive sites in the non-conserved spacer region, 519
cDNA, α-tubulin, plasmoidal, from *Physarum polycephalum*. Nucleotide sequence and comparative analysis, 633
Derancourt, J. (see also Mornet, D.), 479
D'Esposito, M. (see also La Volpe, A.), 213
Dextrans molecular and crystal structure, a combined electron and X-ray diffraction study: a low temperature, hydrated polymorph, 397
d(G-G-G-G-C-C-C-C) crystal structure. A model for poly(dG)·poly(dC), 385
Dibb, N. J., Brown, D. M., Karn, J., Moerman, D. G., Bolten, S. L. & Waterston, R. H., Sequence analysis of mutations that affect the synthesis, assembly and enzymatic activity of the *unc-54* myosin heavy chain of *Caenorhabditis elegans*, 543
Dickerson, R. E. (see also Kopka, M. L.), 553
Dictyostelium discoideum actin multigene family organization. Flanking sequences show subfamily homologies and unusual dyad symmetries, 311
Dictyostelium discoideum, organization of the actin multigene family. Flanking sequences show subfamily homologies and unusual dyad symmetries, 311
Dipole moments of α-helices, the Bohr effect, and the pK_a values of two distidine residues in human haemoglobin, 491
Dod, B. (see also Chabanas, A.), 141
Dover, G. A. (see also Franz, G.), 519
Drake, A. F. (see also Inagaki, F.), 575
Drosophila heat shock response is blocked by novobiocin, 13
Drosophila species, conservation of major nuclease S_1-sensitive sites in the non-conserved spacer region of ribosomal DNA, 519
$(dT\text{-}dG)_n \cdot (dC\text{-}dA)_n$ sequence, *Z*-forming, chromatin structure: evidence for an "alternating-*B*" conformation, 251
Dyad symmetries, unusual, in flanking sequences: organization of the *Dictyostelium discoideum* actin multigene family, 311
Dynamics, molecular, of the C-terminal fragment of the L7/L12 ribosomal protein. Secondary structure motion in a 150 picosecond trajectory, 461

Eaton, W. A. (see also Ferrone, F. A.), 591, 611
Eisen, H. (see also Chabanas, A.), 141
Electron micrograph reconstructions, and X-ray diffraction studies of 14-filament models of deoxygenated sickle cell hemoglobin fibers, 565
Electron microscopic location of the SH group of the alkali light chain on the myosin head, 287
Electron microscopy of cross-linked scallop myosin, 283
Electron and X-ray diffraction study of the molecular and crystal structure of dextrans: a low temperature, hydrated polymorph, 397
Epicotyl tissue, pea, and rapid induction of specific mRNAs by auxin, 53
Escherichia coli, DNA binding and mutation spectra of the carcinogen *N*-2-aminofluorene; a correlation between the conformation of the premutagenic lesion and the mutation specificity, 341
Escherichia coli integrative host factor, essential interaction with lambdoid phage 21 terminase, 239
Escherichia coli mutant unable to support site-specific recombination of bacteriophage λ, 129
Escherichia coli, primary structure of the *hip* gene and of its product, the β subunit of integration host factor; primary structures, 117
Eukaryotic RNA, ribonucleoprotein organization; U2 small nuclear RNA precursors and their accurate 3′ processing *in vitro* as ribonucleoprotein particles, 69
Evolution of glutamine amidotransferase genes. Nucleotide sequences of the *pabA* genes from *Salmonella typhimurium*, *Klebsiella aerogenes* and *Serratia marcescens*, 327
Evolution, molecular, of the seed storage proteins of barley, rye and wheat, 499
Fiess, M., Frackman, S. & Sippy, J., Essential interaction between lambdoid phage 21 terminase and the *Escherichia coli* integrative host factor, 239

Feiss, M. (see also Frackman, S.), 225
Feiss, M. (see also Miller, G.), 246
Ferric *Aplysia limacina* myoglobin, crystal structure at 2·0 Å resolution, 113
Ferricytochrome *c*, analysis of paramagnetic shifts in the n.m.r. spectrum; comparison of the solution and crystal structures of mitochondrial cytochrome *c*, 447
Ferricytochrome *c*, ^{1}H n.m.r.; solution structure of mitochondrial cytochrome *c*, 409
Ferrocytochrome *c*, ^{1}H n.m.r.; solution structure of mitochondrial cytochrome *c*, 429
Ferrone, F. A., Hofrichter, J. & Eaton, W. A., Kinetics of sickle hemoglobin polymerization. I. Studies using temperature-jump and laser photolysis techniques, 591
Ferrone, F. A., Hofrichter, J. & Eaton, W. A., Kinetics of sickle hemoglobin polymerization. II. A double nucleation mechanism, 611
Fibers of deoxygenated sickle cell hemoglobin, X-ray diffraction studies of 14-filament models; use of electron micrograph reconstructions, 565
Fidanza, V. (see also La Volpe, A.), 213
Filaments, intermediate, implications for their structure of the assembly of vimentin *in vitro*, 365
Firtel, R. A. (see also Romans, P.), 311
Fischman, D. A. (see also Shimizu, T.), 271
Flamm, E. L. & Weisberg, R. A., Primary structure of the *hip* gene of *Escherichia coli* and of its product, the β subunit of integration host factor, 117

Flamm, E. (see also Kikuchi, A.), 129
Flavocytochrome *c* from *Pseudomonas putida* N.C.I.B. 9869, preliminary X-ray study, 517
Flexibility, segmental, is exhibited by immunoglobulin G antibody bound to the C1q subcomponent of human complement, 377
Fogg, J. H. (see also Perutz, M. F.), 491
Forde, B. G. (see also Kreis, M.), 499
Frackman, S., Siegele, D. A. & Feiss, M., The terminase of bacteriophage λ. Functional domains for *cosB* binding and multimer assembly, 225
Frackman, S. (see also Feiss, M.), 239
Franz, G., Tautz, D. & Dover, G. A., Conservation of major nuclease S_1-sensitive sites in the non-conserved spacer region of ribosomal DNA in *Drosophila* species, 519
Friedberg, E. C. (see also Pure, G. A.), 31
Froussard, P. (see also Chabanas, A.), 141
Fuchs, R. P. P. (see also Bichara, M.), 341
Functional domains for *cosB* binding and multimer assembly; the terminase of bacteriophage λ, 225
Functional and subunit assembly properties of hemoglobin Alberta ($\alpha_2\beta_2^{101\,Glu\rightarrow Gly}$), 105

Gardner, J. F. (see also Lynn, S. P.), 529
Garrard, W. T. (see also Gross, D. S.), 251
Gatti, G. (see also Bolognesi, M.), 113
Gene, *hip*, of *Escherichia coli*, mutation, 129
Gene, *hip*, of *Escherichia coli*, and its product, the β subunit of integration host factor; primary structures, 117
Gene locus encoding human immunoglobulin variable regions of the Kappa type, a large section is duplicated, 291
Gene, normal yeast $tRNA^{Gln}$, contained in multicopy plasmids causing partial suppression of an ochre mutation in *Saccharomyces cerevisiae*, 31
Gene, tRNA, transcription is controlled by a large region, 153
Genes, actin, of *Dictyostelium discoideum*; flanking sequences show subfamily homologies and unusual dyad symmetries, 311
Genes, histone, mouse, differential expression of two clusters, 179
Genes, *pabA*, from *Salmonella typhimurium*, *Klebsiella aerogenes* and *Serratia marcescens*, nucleotide sequences; evolution of glutamine amidotransferase genes, 327
Gerl, R. (see also Pech, M.), 291
Gjerset, R. (see also Chabanas, A.), 141
Glutamine amidotransferase genes, evolution. Nucleotide sequences of the *pabA* genes from *Salmonella typhimurium*, *Klebsiella aerogenes* and *Serratia marcescens*, 327
Goeltz, P. (see also Chabanas, A.), 141
Goodsell, D. (see also Kopka, M. L.), 553
gp23 surface lattice of bacteriophage T4, calorimetric comparison of successive conformational states, 353
Gralla, J. D. (see also Carpousis, A. J.), 165
Graves, R. A., Wellman, S. E., Chiu, I.-M. & Marzluff, W. F., Differential expression of two clusters of mouse histone genes, 179
Gronenborn, A. M. (see also Perutz, M. F.), 491
Gross, D. S., Huang, S.-Y. & Garrard, W. T., Chromatin structure of the potential *Z*-forming sequence $(dT\text{-}dG)_n \cdot (dC\text{-}dA)_n$. Evidence for an "alternating-*B*" conformation, 251
Guizard, C., Chanzy, H. & Sarko, A., The molecular and crystal structure of dextrans: a combined electron and X-ray diffraction study. II. A low temperature, hydrated polymorph, 397

Han, S., Udvardy, A. & Schedl, P., Novobiocin blocks the *Drosophila* heat shock response, 13
Hanson, D. C. & Schumaker, V. N., Immunoglobulin G antibody bound to the C1q subcomponent of human complement exhibits segmental flexibility, 377
Hardwicke, P. M. D. & Szent-Györgyi, A. G., Proximity of regulatory light chains in scallop myosin, 203
Hardwicke, P. M. D. (see also Vibert, P.), 283
Hartzer, M. K. (see also Ip, W.), 365
Heat shock response of *Drosophila* is blocked by novobiocin, 13
Heavy-chain regions of myosin heads from skeletal muscle, molecular movements promoted by metal nucleotides, 479
α-Helices dipole moments, the Bohr effect, and the pK_a values of two histidine residues in human haemoglobins, 491
Hemoglobin Alberta ($\alpha_2\beta_2^{101\,Glu\rightarrow Gly}$), functional and subunit assembly properties, 105
Haemoglobin, human, the pK_a values of two histidine residues; the Bohr effect and the dipole moments of α-helices, 491
Hemoglobin S polymerization kinetics. A double nucleation mechanism, 611
Hemoglobin S polymerization kinetics. Studies using temperature-jump and laser photolysis techniques, 591
Hemoglobin, sickle cell, deoxygenated, fibers, X-ray diffraction studies of 14-filament models; use of electron micrograph reconstructions, 565
Haemoglobin: the surface buried between the $\alpha_1\beta_1$ and $\alpha_2\beta_2$ dimers in the deoxy and oxy structures, 267
Hider, R. C. (see also Inagaki, F.), 575
Hilgers, J. (see also Kominami, R.), 301
hip gene of *Escherichia coli*, mutations, 129
hip gene of *Escherichia coli* and its product, the β subunit of integration host factor; primary structures, 117
Histidine residues, two, in human haemoglobin, the pK_a values; the Bohr effect and the dipole moments of α-helices, 491
Histone genes, mouse, differential expression of two clusters, 179
Histone H1° induction in mouse cells and tissue culture, and cell cycle regulation; effects of butyric acid, 141
Hodges, S. J. (see also Inagaki, F.), 575
Hofrichter, J. (see also Ferrone, F. A.), 591, 611
Hopper, D. J. (see also Shamala, N.), 517
Huang, S.-Y. (see also Gross, D. S.), 251
Human complement C1q subcomponent, bound immunoglobulin G antibody exhibits segmental flexibility, 377
Human haemoglobin, the pK_a values of two histidine residues; the Bohr effect and the two dipole moments of α-helices, 491
Human immunoglobulin variable regions of the Kappa type, a large section of the encoding gene locus is duplicated, 291
Human ribosomal spacer, molecular analysis of the heterogeneity region, 213
Huynh, T. V. (see also Theologis, A.), 53

Immunoglobulin G antibody bound to the C1q subcomponent of human complement exhibits segmental flexibility, 377
Immunoglobulin, human, variable regions of the Kappa type, a large section of the encoding gene locus is duplicated, 291
Inagaki, F., Hider, R. C., Hodges, S. J. & Drake, A. F., Molecular conformation of α-bungarotoxin as studied by nuclear magnetic resonance and circular dichroism, 575
Instability, meiotic; a polymorphic repetitive-sequence PR1 family, 301
Integration host factor, primary structure of the β subunit, 117
Integrative host factor of *Escherichia coli*, essential interaction with lambdoid phage 21 terminase, 239
Ip, W., Hartzer, M. K., Pang, Y.-Y. S. & Robson, R. M., Assembly of vimentin *in vitro* and its implications concerning the structure of intermediate filaments, 365

Janin, J. (see also Lesk, A. M.), 267

Kaplan, J. B., Merkel, W. K. & Nichols, B. P., Evolution of glutamine amidotransferase genes. Nucleotide sequences of the *pabA* genes from *Salmonella typhimurium*, *Klebsiella aerogenes* and *Serratia marcescens*, 327
Kappa type human immunoglobulin variable regions, a large section of the encoding gene locus is duplicated, 291
Karn, J. (see also Dibb, N. J.), 543
Kassab, R. (see also Mornet, D.), 479
Kennard, D. (see also McCall, M.), 385
Khoury, E. (see also Chabanas, A.), 141
Kikuchi, A., Flamm, E. & Weisberg, R. A., An *Escherichia coli* mutant unable to support site-specific recombination of bacteriophage λ, 129
Kinetics of sickle hemoglobin polymerization. A double nucleation mechanism, 611
Kinetics of sickle hemoglobin polymerization. Studies using temperature-jump and laser photolysis techniques, 591
Klebsiella aerogenes, nucleotide sequences of the *pabA* genes; evolution of glutamine amidotransferase genes, 327

Scallop myosin, cross-linked, electron microscopy, 283
Scallop myosin, proximity of regulatory light chains, 203
Schedl, P. (see also Han, S.), 13
Schedl, T. (see also Krämmer, G.), 633
Schumaker, V. N. (see also Hanson, D. C.), 377
Scotto, L. (see also La Volpe, A.), 213
Seed storage proteins of barley, rye and wheat; molecular evolution, 499
Seedorf, K. (see also Krämmer, G.), 633
Sekine, T. (see also Yamamoto, K.), 287
Sequence analysis of mutations that affect the synthesis, assembly and enzymatic activity of the *unc-54* myosin heavy chain of *Caenorhabditis elegans* 543
Sequence data, amino acid, used to deduce synthetic oligonucleotide probes; theoretical and practical considerations, 1
Sequence $(dT\text{-}dG)_n \cdot (dC\text{-}dA)_n$, chromatin structure; evidence for an "alternating-*B*" conformation, 251
Sequence of the left end of phage 21 DNA, 246
Sequence, nucleotide, and comparative analysis for a plasmoidal α-tubulin cDNA from *Physarum polycephalum*, 633
Sequences, flanking, show subfamily homologies and unusual dyad symmetries; organization of the *Dictyostelium discoideum* actin multigene family, 311
Sequences, nucleotide, of the *pabA* genes from *Salmonella typhimurium*, *Klebsiella aerogenes* and *Serratia marcescens*; evolution of glutamine amidotransferase genes, 327
Serine protease catalytic tetrahedral intermediates, a model; the 1·8 Å structure of the complex between chymostatin and *Streptomyces griseus* protease A, 89
Serratia marcescens, nucleotide sequences of the *pabA* genes; evolution of glutamine amidotransferase genes, 327
S–G2 late phase of the cell cycle, and inducibility of H1°; effects of butyric acid on cell cycle regulation and induction of histone H1° in mouse cells and tissue culture, 141
SH group of the alkali light chain, location on the myosin head as revealed by electron microscopy, 287
Shamala, N., Lim, L. W., Mathews, F. S., McIntire, W., Singer, T. P. & Hopper, D. J., Preliminary X-ray study of *p*-cresol methylhydroxylase (flavocytochrome *c*) from *Pseudomonas putida* N.C.I.B. 9869, 517
Shewry, P. R. (see also Kreis, M.), 499
Shih, D. T.-b. (see also Perutz, M. F.), 491
Shimizu, T., Reinach, F. C., Masaki, T. & Fischman, D. A., Analysis of the metal-induced conformational change in myosin with a monoclonal antibody to light chain two, 271
Sickle cell hemoglobin deoxygenated fibers, X-ray diffraction studies of 14-filament models; use of electron micrograph reconstructions, 565
Sickle hemoglobin polymerization kinetics. A double nucleation mechanism, 611
Sickle hemoglobin polymerization kinetics. Studies using temperature-jump and laser photolysis techniques, 591
Siegele, D. A. (see also Frackman, S.), 225
Simeone, A. (see also La Volpe, A.), 213
Singer, T. P. (see also Shamala, N.), 517
Singhofer-Wowra, M. (see also Krämmer, G.), 633
Sippy, J. (see also Feiss, M.), 239
Smola, H. (see also Pech, M.), 291
Soffe, N. (see also Williams, G.), 409
Solution and crystal structures compared for mitochondrial cytochrome *c*. Analysis of paramagnetic shifts in the n.m.r. spectrum of ferricytochrome *c*, 447
Solution and crystal structures compared for mitochondrial cytochrome *c*. Analysis of paramagnetic shifts in the n.m.r. spectrum of ferricytochrome *c*, 447
Solution secondary structure of the α-amylase polypeptide inhibitor Tendamistat from *Streptomyces tendae*, determined by ^{1}H n.m.r., 503
Solution structure of mitochondrial cytochrome *c*. ^{1}H n.m.r. of ferricytochrome *c*, 409
Solution structure of mitochondrial cytochrome *c*. ^{1}H n.m.r. of ferrocytochrome *c*, 429
Sprague, K. U. (see also Wilson, E. T.), 153
Sprott, G. D. (see also Stewart, M.), 509
Steven, A. C. (see also Ross, P. D.), 353
Stewart, M., Beveridge, T. J. & Sprott, G. D., Crystalline order to high resolution in the sheath of *Methanospirillum hungatei*: a cross-beta structure, 509
Stinson, R. A. (see also McDonald, M. J.), 105
Storage proteins, seed, or barley, rye and wheat; molecular evolution, 499
Straubinger, B. (see also Pech, M.), 291
Streptomyces griseus protease A complex with chymostatin, the 1·8 Å structure; a model for serine protease catalytic tetrahedral intermediates, 89
Streptomyces tendae, secondary structure of the α-amylase polypeptide inhibitor Tendamistat determined in solution by ^{1}H n.m.r., 503
Structure of bacteriophage ϕ29 neck particles, three-dimensional reconstruction at 2·2 nm resolution, 79
Structure, chromatin, of the potential *Z*-forming sequence $(dT\text{-}dG)_n \cdot (dC\text{-}dA)_n$. Evidence for an "alternating-*B*" conformation, 251
Structure, 1·8 Å, of the complex between chymostatin and *Streptomyces griseus* protease A. A model for serine protease catalytic tetrahedral intermediates, 89
Structure, cross-beta; crystalline order to high resolution in the sheath of *Methanospirillum hungatei*, 509
Structure, crystal, of d(G-G-G-G-C-C-C-C). A model for poly(dG)·poly(dC), 385
Structure, crystal, of ferric *Aplysia limacina* myoglobin at 2·0 Å resolution, 113
Structure of intermediate filaments and the implications of vimentin assembly *in vitro*, 365
Structure, molecular and crystal, of dextrans, a combined electron and X-ray diffraction study; a low temperature, hydrated polymorph, 397
Structure, primary, of the *hip* gene of *Escherichia coli* and of its product, the β subunit of integration host factor, 117
Structure, secondary, of the α-amylase polypeptide inhibitor Tendamistat from *Streptomyces tendae* determined in solution by ^{1}H n.m.r., 503
Structure, solution, of mitochondrial cytochrome *c*. ^{1}H n.m.r. of ferricytochrome *c*, 409
Structure, solution, of mitochondrial cytochrome *c*. ^{1}H n.m.r. of ferrocytochrome *c*, 429
Structures, solution and crystal, compared for mitochondrial cytochrome *c*. Analysis of paramagnetic shifts in the n.m.r. spectrum of ferricytochrome *c*, 447
Subunit assembly and functional properties of hemoglobin Alberta ($\alpha_2\beta_2^{101\,Glu\rightarrow Gly}$), 105
Sudo, K. (see also Kominami, R.), 301
Surface lattice, gp23, of bacteriophage T4, calorimetric comparison of successive conformational states, 353
Sutoh, K. (see also Yamamoto, K.), 287
Suzuki, H. (see also Kominami, R.), 301
Szent-Györgyi, A. G. (see also Hardwicke, P. M. D.), 203
Szent-Györgyi, A. G. (see also Vibert, P.), 283

T4 (see also Bacteriophage), 353
Tapia, O. (see also Åqvist, J.), 461
Tautz, D. (see also Franz, G.), 519
Temperature-jump and laser photolysis techniques in study of kinetics of sickle hemoglobin polymerization, 591
Tendamistat from *Streptomyces tendae*, secondary structure determined in solution by ^{1}H n.m.r., 503
Terminase of bacteriophage λ. Functional domains for *cosB* binding and multimer assembly, 225
Terminase, lambdoid phage 21, essential interaction with the *Escherichia coli* integrative host factor, 239
Theologis, A., Huynh, T. V. & Davis, R. W., Rapid induction of specific mRNAs by auxin in pea epicotyl tissue, 53
Threonine operon attenuator, identification and characterization of mutants affecting transcription termination, 529
Tokunaga, M. (see also Yamamoto, K.), 287
Trans- and *cis*-acting elements for the replication of P1 miniplasmids, 195
Transcription: interaction of RNA polymerase with *lac*UV5 promoter DNA during mRNA initiation and elongation, 165
Transcription termination at the threonine operon attenuator, identification and characterization of affecting mutants, 529
Transcription, tRNA gene, is controlled by a large region, 153

Transfer RNA gene transcription is controlled by a large region, 153
$tRNA^{Gln}$ gene, yeast, normal, contained in multicopy plasmids causing partial suppression of an ochre mutation in *Saccharomyces cerevisiae*, 31
α-Tubulin, cDNA, plasmoidal, from *Physarum polycephalum*. Nucleotide sequence and comparative analysis, 633
Turci, S. M. (see also McDonald, M. J.), 105
21 (see also Phage), 239, 246

U2 small nuclear RNA precursors and their accurate 3′ processing *in vitro* as ribonucleoprotein particles; ribonucleoprotein organization of eukaryotic RNA, 69
Udvardy, A. (see also Han, S.), 13
unc-54 myosin heavy chain of *Caenorhabditis elegans*, sequence analysis of mutations that affect the synthesis, assembly and enzymatic activity, 543

van Gunsteren, W. F. (see also Åqvist, J.), 461
Vibert, P., Cohen, C., Hardwicke, P. M. D. & Szent-Györgyi, A. G., Electron microscopy of cross-linked scallop myosin, 283
Vimentin assembly *in vitro* and its implications concerning the structure of intermediate filaments, 365
Viral capsid protein, assembly-dependent conformational changes. Calorimetric comparison of successive conformational states of the gp23 surface lattice of bacteriophage T4, 353

Wakabayashi, T. (see also Yamamoto, K.), 287
Waterston, R. H. (see also Dibb, N. J.), 543
Weisberg, R. A. (see also Flamm, E. L.), 117
Weisberg, R. A. (see also Kikuchi, A.), 129
Wellman, S. E. (see also Graves, R. A.), 179
Wheat, molecular evolution of seed storage proteins, 499
Wieben, E. D., Nenninger, J. M. & Pederson, T., Ribonucleoprotein organization of eukaryotic RNA. XXXII. U2 small nuclear RNA precursors and their accurate 3′ processing *in vitro* as ribonucleoprotein particles, 69
Williams, G., Clayden, N. J., Moore, G. R. & Williams, R. J. P., Comparison of the solution and crystal structures of mitochondrial cytochrome *c*. Analysis of paramagnetic shifts in the nuclear magnetic resonance spectrum of ferricytochrome *c*, 447
Williams, G., Moore, G. R., Porteous, R., Robinson, M. N., Soffe, N. & Williams, R. J. P., Solution structure of mitochondrial cytochrome *c*. I. ^1H nuclear magnetic resonance of ferricytochrome *c*, 409
Williams, G. (see also Moore, G. R.), 429
Williams, R. J. P. (see also Moore, G. R.), 429
Williams, R. J. P. (see also Williams, G.), 409, 447
Wilson, E. T., Larson, D., Young, L. S. & Sprague, K. U., A large region controls tRNA gene transcription, 153
Wodak, S. (see also Lesk, A. M.), 267
Wüthrich, K. (see also Kline, A. D.), 503
X-ray diffraction studies of 14-filament models of deoxygenated sickle cell hemoglobin fibers. Models based on electron micrograph reconstructions, 565
X-ray and electron diffraction study of the molecular and crystal structure of dextrans; a low temperature, hydrated polymorph, 397
X-ray study, preliminary, of *p*-cresol methylhydroxylase (flavocytochrome *c*) from *Pseudomonas putida* N.C.I.B. 9869, 517

Yamamoto, K., Tokunaga, M., Sutoh, K., Wakabayashi, T. & Sekine, T., Location of the SH group of the alkali light chain on the myosin head as revealed by electron microscopy, 287
Yoon, C. (see also Kopka, M. L.), 553

Yoshikura, H. (see also Kominami, R.), 301
Young, L. S. (see also Wilson, E. T.), 153

Zachau, H. G. (see also Pech, M.), 291
Z-forming sequence, potential, $(dT\text{-}dG)_n \cdot (dC\text{-}dA)_n$, chromatin structure; evidence for an "alternating-*B*" conformation, 257